


**Prepared For:**

Township Of West Orange  
 Joe Pelose  
 25 Lakeside Ave.  
 West Orange, NJ 07052-5539  
 (201)325 - 4068  
 Reference ID: ESCNJ quote

**Presented By:**

ALLEGIANCE TRUCKS  
 Frank J Dela Fuente  
 525 WEST LINDEN AVE.  
 LINDEN NJ 07036 - 6507  
 (908)862-8181

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

**NJ Co-op #65MCECCPS****ESCNJ # 20/21-55**

**Model Profile**  
**2024 HV507 SFA (HV507)**

|                                  |                                                                                                                                                                                                      |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AXLE CONFIG:</b>              | 4X4                                                                                                                                                                                                  |
| <b>APPLICATION:</b>              | Front Plow with spreader                                                                                                                                                                             |
| <b>MISSION:</b>                  | Requested GVWR: 35000. Calc. GVWR: 40000. Calc. GCWR: 80000<br>Calc. Start / Grade Ability: 35.28% / 4.36% @ 55 MPH<br>Calc. Geared Speed: <del>72.7 MPH</del> <b>68 MPH</b>                         |
| <b>DIMENSION:</b>                | Wheelbase: 179.00, CA: 104.00, Axle to Frame: 65.00                                                                                                                                                  |
| <b>ENGINE, DIESEL:</b>           | {Cummins L9 370} EPA 2021, 370HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)                                                                                |
| <b>TRANSMISSION, AUTOMATIC:</b>  | {Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway |
| <b>CLUTCH:</b>                   | Omit Item (Clutch & Control)                                                                                                                                                                         |
| <b>AXLE, FRONT DRIVING:</b>      | {Meritor MX-14-120HR EVO} Single Reduction, 14,000-lb Capacity, with Hub Piloted Wheel Mounting                                                                                                      |
| <b>AXLE, REAR, SINGLE:</b>       | {Dana Spicer S26-190D} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends Gear Ratio: 5.57                                                                   |
| <b>CAB:</b>                      | Conventional, Day Cab                                                                                                                                                                                |
| <b>TIRE, FRONT:</b>              | (2) 12R22.5 Load Range H HDC1 (CONTINENTAL), 479 rev/mile, 68 MPH, Drive                                                                                                                             |
| <b>TIRE, REAR:</b>               | (4) 12R22.5 Load Range H HDC1 (CONTINENTAL), 479 rev/mile, 68 MPH, Drive                                                                                                                             |
| <b>SUSPENSION, REAR, SINGLE:</b> | 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs                                                                                                             |
| <b>FRAME REINFORCEMENT:</b>      | Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL                                                       |
| <b>PAINT:</b>                    | Cab schematic 100WK<br>Location 1: 0311, Omaha Orange (Std)<br>Chassis schematic N/A                                                                                                                 |

**Budget price including Co-op discounts \$138,000.00 chassis Only**

| <u>Code</u> | <u>Description</u>                                                                                                                                                                       | <u>List</u><br>(US DOLLAR) |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| HV50700     | Base Chassis, Model HV507 SFA with 179.00 Wheelbase, 104.00 CA, and 65.00 Axle to Frame.                                                                                                 | \$99,898.00                |
| 1570        | TOW HOOK, FRONT (2) Frame Mounted                                                                                                                                                        | \$84.00                    |
| 1ANB        | AXLE CONFIGURATION {Navistar} 4x4                                                                                                                                                        | \$0.00                     |
| 1CBU        | FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL                                               | \$118.00                   |
| 1GBP        | FRAME REINFORCEMENT Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL                       | \$1,800.00                 |
| 1LLA        | BUMPER, FRONT Swept Back, Steel, Heavy Duty                                                                                                                                              | \$0.00                     |
| 1WDT        | FRAME EXTENSION, FRONT Integral; 20" In Front of Grille, with Outer C-Channel Reinforcement                                                                                              | \$690.00                   |
| 1WGE        | WHEELBASE RANGE 148" (375cm) Through and Including 179" (455cm)                                                                                                                          | \$0.00                     |
| 2GAD        | AXLE, FRONT DRIVING {Meritor MX-14-120HR EVO} Single Reduction, 14,000-lb Capacity, with Hub Piloted Wheel Mounting                                                                      | \$18,064.00                |
| 2WLC        | AXLE, FRONT DRIVING, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints                                                                                                           | \$147.00                   |
| 3ADD        | SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers                                                                                   | \$311.00                   |
| 4091        | BRAKE SYSTEM, AIR Dual System for Straight Truck Applications                                                                                                                            | \$0.00                     |
| 4722        | DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank                                                                                                                           | \$165.00                   |
| 4AZA        | AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System                                                                          | \$0.00                     |
| 4EBD        | AIR DRYER {Wabco System Saver 1200} with Heater                                                                                                                                          | \$497.00                   |
| 4ETD        | BRAKE CHAMBERS, FRONT AXLE {MGM} 20 SqIn                                                                                                                                                 | \$43.00                    |
| 4EVH        | BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 SqIn Spring Brake                                                                                                                    | \$150.00                   |
| 4LAA        | SLACK ADJUSTERS, FRONT {Haldex} Automatic                                                                                                                                                | \$38.00                    |
| 4LGG        | SLACK ADJUSTERS, REAR {Gunite} Automatic                                                                                                                                                 | \$0.00                     |
| 4SPA        | AIR COMPRESSOR {Cummins} 18.7 CFM                                                                                                                                                        | \$0.00                     |
| 4VGG        | AIR DRYER LOCATION Mounted Inside Left Rail, Behind Transfer Case Mounting                                                                                                               | \$70.00                    |
| 4VGN        | AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports                                                                                                                             | \$432.00                   |
| 4WBX        | DUST SHIELDS, FRONT BRAKE for Air Cam Brakes                                                                                                                                             | \$35.00                    |
| 4WDM        | DUST SHIELDS, REAR BRAKE for Air Cam Brakes                                                                                                                                              | \$70.00                    |
| 4WZJ        | AIR TANK LOCATION (2) : One Mounted Under Each Rail, Front of Rear Suspension, Parallel to Rail                                                                                          | \$288.00                   |
| 4XCZ        | BRAKES, REAR {Meritor 16.5X7 P} Air S-Cam Type, Cast Spider, Cast Shoe, Double Anchor Pin, Includes Greaseable and Zinc Coated Anchor Pins, Size 16.5" X 7", 38,000-lb Capacity per Axle | (\$403.00)                 |
| 4XDP        | BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity                                          | (\$1,268.00)               |
| 5708        | STEERING COLUMN Tilting                                                                                                                                                                  | \$125.00                   |

| <u>Code</u> | <u>Description</u>                                                                                                                                                                                                               | <u>List</u><br>(US DOLLAR) |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 5CAW        | STEERING WHEEL 4-Spoke; 18" Dia., Black                                                                                                                                                                                          | \$0.00                     |
| 5PSL        | STEERING GEAR {Sheppard M110} Power                                                                                                                                                                                              | \$447.00                   |
| 6DGT        | DRIVELINE SYSTEM {Dana Spicer} SPL170 Main Driveline with SPL170 Interaxle Shaft, for 6x4                                                                                                                                        | \$612.00                   |
| 7BEU        | AFTERTREATMENT COVER Aluminum                                                                                                                                                                                                    | \$278.00                   |
| 7BMA        | EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab, for All-Wheel Drive                                                    | \$1,588.00                 |
| 7SDP        | ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch                                                                                                                             | \$2,132.00                 |
| 7WAZ        | TAIL PIPE (1) Turnback Type                                                                                                                                                                                                      | \$64.00                    |
| 7WDM        | EXHAUST HEIGHT 10'                                                                                                                                                                                                               | \$0.00                     |
| 7WDN        | MUFFLER/TAIL PIPE GUARD (1) Aluminum                                                                                                                                                                                             | \$0.00                     |
| 7WZY        | SWITCH, FOR EXHAUST 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position                                                              | \$31.00                    |
| 8000        | ELECTRICAL SYSTEM 12-Volt, Standard Equipment                                                                                                                                                                                    | \$0.00                     |
| 8518        | CIGAR LIGHTER Includes Ash Cup                                                                                                                                                                                                   | \$18.00                    |
| 8541        | HORN, ELECTRIC (2) Disc Style                                                                                                                                                                                                    | \$29.00                    |
| 8GXD        | ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense                                                                                                                       | \$0.00                     |
| 8HAB        | BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn | \$100.00                   |
| 8MSH        | BATTERY SYSTEM {Fleetrite} Maintenance-Free, (4) 12-Volt 2640CCA Total, Top Threaded Stud                                                                                                                                        | \$420.00                   |
| 8NAA        | TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights                                                                           | \$74.00                    |
| 8RGA        | 2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab                                                      | \$211.00                   |
| 8RMV        | SPEAKERS (2) 6.5" Dual Cone Mounted in Doors                                                                                                                                                                                     | \$48.00                    |
| 8RPS        | RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input                                                                                                                                                                         | \$483.00                   |
| 8TMG        | TRAILER CONNECTION SOCKET {Phillips} 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps                                                   | \$439.00                   |
| 8TNP        | AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications                                                                                                                              | \$178.00                   |
| 8VUM        | BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab                                                                                                                          | \$410.00                   |
| 8WBW        | JUMP START STUD Remote Mounted                                                                                                                                                                                                   | \$168.00                   |
| 8WGL        | WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time                                                                                          | \$42.00                    |

| <u>Code</u> | <u>Description</u>                                                                                                                                                              | <u>List</u><br>(US DOLLAR) |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 8WPH        | CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade                                                                                     | \$0.00                     |
| 8WPZ        | TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights                                                                                    | \$42.00                    |
| 8WRB        | HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on                                                                                 | \$42.00                    |
| 8WTL        | STARTING MOTOR {Delco Remy 39MT} 12 Volt, Gear Reduced, with Thermal Over-Crank Protection                                                                                      | \$193.00                   |
| 8WTP        | COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side                                                                                                              | \$48.00                    |
| 8WWJ        | INDICATOR, LOW COOLANT LEVEL with Audible Alarm                                                                                                                                 | \$0.00                     |
| 8WXD        | ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened                                    | \$42.00                    |
| 8XAH        | CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses                                                                                | \$0.00                     |
| 8XHN        | HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord                                                                                                                         | \$94.00                    |
| 8XJE        | TURN SIGNALS, FRONT Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors | \$187.00                   |
| 8XKY        | USB PORT (1) Located in the Instrument Panel                                                                                                                                    | \$46.00                    |
| 9585        | FENDER EXTENSIONS Rubber                                                                                                                                                        | \$104.00                   |
| 9AAB        | LOGOS EXTERIOR Model Badges                                                                                                                                                     | \$0.00                     |
| 9AAE        | LOGOS EXTERIOR, ENGINE Badges                                                                                                                                                   | \$0.00                     |
| 9HBM        | GRILLE Stationary, Chrome                                                                                                                                                       | \$0.00                     |
| 9WBC        | FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV                                                                                                   | \$0.00                     |
| 10060       | PAINT SCHEMATIC, PT-1 Single Color, Design 100                                                                                                                                  | \$0.00                     |
| 10761       | PAINT TYPE Base Coat/Clear Coat, 1-2 Tone                                                                                                                                       | \$0.00                     |
| 10SLV       | PROMOTIONAL PACKAGE Government Silver Package                                                                                                                                   | \$0.00                     |
| 10WCY       | SAFETY TRIANGLES                                                                                                                                                                | \$47.00                    |
| 10WKN       | KEYS - ALL ALIKE, ID I-1624 Compatible with Z-250                                                                                                                               | \$0.00                     |
| 10XAN       | FIRE EXTINGUISHER 5 lb Class A B C                                                                                                                                              | \$154.00                   |
| 10XAP       | FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat                                                                                                                         | \$0.00                     |
| 11001       | CLUTCH Omit Item (Clutch & Control)                                                                                                                                             | \$0.00                     |
| 12703       | ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection                                                                                      | \$0.00                     |
| 12849       | BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines                                                                                                            | \$98.00                    |
| 12ESR       | ENGINE, DIESEL {Cummins L9 370} EPA 2021, 370HP @ 2100 RPM, 1250 lb-ft Torque @ 1200 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)                                            | \$12,889.00                |
| 12THT       | FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed                                                               | \$0.00                     |

| <u>Code</u> | <u>Description</u>                                                                                                                                                                                                           | <u>List</u><br>(US DOLLAR) |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 12UWZ       | RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler                                                                                                | \$0.00                     |
| 12VAG       | AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control                                                                                                                                                      | \$352.00                   |
| 12VHR       | EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2021                                                                                                                                       | \$350.00                   |
| 12VXT       | THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel                                                                                                               | \$0.00                     |
| 12WZE       | CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations                                                                                                                                     | \$0.00                     |
| 12XBM       | ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines                               | \$60.00                    |
| 13AVR       | TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway | \$6,226.00                 |
| 13TKK       | TRANSFER CASE {Meritor MTC-4210} 2-Speed, 10,000 lb-ft Torque Rating, Less PTO Provision, Electric Over Air Control, with Lube Pump                                                                                          | \$12,836.00                |
| 13WAW       | OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type                                                                                                                                                                     | \$898.00                   |
| 13WDV       | OIL COOLER, TRANSFER CASE Remote Mounted Back of Cab                                                                                                                                                                         | \$405.00                   |
| 13WET       | TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission                                                                                                            | \$50.00                    |
| 13WGK       | TRANSMISSION COOLER HOSES Stainless Steel                                                                                                                                                                                    | \$532.00                   |
| 13WLP       | TRANSMISSION OIL Synthetic; 29 thru 42 Pints                                                                                                                                                                                 | \$203.00                   |
| 13WUC       | ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223                                                                             | \$0.00                     |
| 13WVV       | NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released                                                            | \$0.00                     |
| 13WYU       | SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming                                                                                                                                | \$0.00                     |
| 13XAL       | PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission                                                                                                                                                    | \$0.00                     |
| 14AHL       | AXLE, REAR, SINGLE {Dana Spicer S26-190D} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends . Gear Ratio: 5.57                                                                      | \$3,473.00                 |
| 14SAL       | SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs                                                                                                            | \$305.00                   |
| 14WMG       | AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints                                                                                                                                                       | \$198.00                   |
| 15924       | FUEL TANK STRAPS Bright Finish Stainless Steel                                                                                                                                                                               | \$260.00                   |
| 15LNS       | FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine                                                                      | \$123.00                   |
| 15SGJ       | FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab                                                                                                           | \$100.00                   |
| 15WDG       | DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab                                                                                                                                                 | \$0.00                     |

| <u>Code</u> | <u>Description</u>                                                                                                                                                                                                                         | <u>List</u><br>(US DOLLAR) |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 16030       | CAB Conventional, Day Cab                                                                                                                                                                                                                  | \$0.00                     |
| 16BAM       | AIR CONDITIONER with Integral Heater and Defroster                                                                                                                                                                                         | \$923.00                   |
| 16GED       | GAUGE CLUSTER Base Level; English with English Electronic Speedometer                                                                                                                                                                      | \$0.00                     |
| 16HGH       | GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission                                                                                                                                                                                       | \$48.00                    |
| 16HHE       | GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel                                                                                                                                               | \$30.00                    |
| 16HKT       | IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster                                                                                                                                                            | \$0.00                     |
| 16JNT       | SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust                                                 | \$116.00                   |
| 16SEE       | GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar                                                                                                                   | \$118.00                   |
| 16SMN       | SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl                                                                                                                                                 | \$368.00                   |
| 16SNT       | MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width                                                                         | \$462.00                   |
| 16SNW       | MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5"                                                                                                                                                                                    | \$49.00                    |
| 16VKB       | CAB INTERIOR TRIM Classic, for Day Cab                                                                                                                                                                                                     | \$0.00                     |
| 16WBY       | ARM REST, RIGHT, DRIVER SEAT                                                                                                                                                                                                               | \$39.00                    |
| 16WLS       | FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood                                                                                                                                               | \$76.00                    |
| 16WSK       | CAB REAR SUSPENSION Air Bag Type                                                                                                                                                                                                           | \$0.00                     |
| 16XCK       | WINDOW, MANUAL (2) and Manual Door Locks, Left and Right Doors                                                                                                                                                                             | \$0.00                     |
| 16XJN       | INSTRUMENT PANEL Flat Panel                                                                                                                                                                                                                | \$0.00                     |
| 16XWJ       | WINDSHIELD WIPER BLADES Snow Type                                                                                                                                                                                                          | \$30.00                    |
| 16ZJA       | ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab                                                                             | \$777.00                   |
| 27DVN       | WHEELS, FRONT {Accuride 42644} DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs                                                                                             | \$500.00                   |
| 28DVN       | WHEELS, REAR {Accuride 42644} DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs                                                                                         | \$1,044.00                 |
| 29PBS       | COATING IDENTITY, REAR WHEELS {Accuride Accu-Shield} Disc Rear Wheels, Aluminum, with Vendor Applied Clear Coat, Not for Super Single/Wide Base                                                                                            | \$304.00                   |
| 29PBT       | COATING IDENTITY, FRONT WHEELS {Accuride Accu-Shield} Disc Front Wheels, Aluminum, with Vendor Applied Clear Coat, Not for Wide Base                                                                                                       | \$278.00                   |
| 60AAG       | BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches                                                    | \$790.00                   |
| 60ABE       | BDY INTG, PTO ACCOMMODATION for Electric over Hydraulic PTO, Does Not Include Solenoids, with Latched Switch Mounted on Dash Includes Audible Alarm and Indicator Light in Gauge Cluster (Requires 1 Remote Power Module input & 1 output) | \$25.00                    |

| <u>Code</u>                         | <u>Description</u>                                                                                                               | <u>List</u><br>(US DOLLAR) |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 60ABM                               | BDY INTG, RPM I/O HARNESS Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM | \$40.00                    |
| 7392155420                          | (2) TIRE, FRONT 12R22.5 Load Range H HDC1 (CONTINENTAL), 479 rev/mile, 68 MPH, Drive                                             | \$786.00                   |
| 7392155420                          | (4) TIRE, REAR 12R22.5 Load Range H HDC1 (CONTINENTAL), 479 rev/mile, 68 MPH, Drive                                              | \$1,572.00                 |
| Total of Product Features           |                                                                                                                                  | \$177,858.00               |
| Services Section:                   |                                                                                                                                  |                            |
| 40128                               | WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A                 | \$0.00                     |
| Total of Service Features           |                                                                                                                                  | \$0.00                     |
| Total List Price Including Options: |                                                                                                                                  | \$177,858.00               |
| Body/Allied Equipment<br>Code       | <u>Description</u>                                                                                                               | <u>List</u>                |
| Goods Purchased<br>Code             | <u>Description</u>                                                                                                               | <u>List</u>                |